



# SAFETY DATA SHEET

## 1. Identification

**Product identifier** NANOMER® I.31PS  
**Other means of identification** Not available.  
**Recommended use** Not available.  
**Recommended restrictions** None known. Workers (and your customers or users in the case of resale) should be informed of the potential presence of respirable dust and respirable crystalline silica as well as their potential hazards. Appropriate training in the proper use and handling of this material should be provided as required under applicable regulations.

### Manufacturer/Importer/Supplier/Distributor information

#### Manufacturer

**Company name** Nanocor, an MTI Company  
**Address** 2870 Forbs Avenue  
Hoffman Estates, IL 60192  
United States  
**Telephone** General Information 888 NANO-633  
**Website** <http://www.nanocor.com/>  
**E-mail** [safetydata@amcol.com](mailto:safetydata@amcol.com)  
**Emergency phone number** .  
**Americas** 1.866.519.4752 (US, Canada, Mexico) 1 760 476 3962

## 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Not classified.

**Environmental hazards** Not classified.

**OSHA defined hazards** Not classified.

#### Label elements

**Hazard symbol** None.

**Signal word** None.

**Hazard statement** The substance does not meet the criteria for classification.

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

**Hazard(s) not otherwise classified (HNOC)** None known.

**Supplemental information** Not applicable.

## 3. Composition/information on ingredients

#### Substances

Chemical name	Common name and synonyms	CAS number	%
BENTONITE		1302-78-9	70 - < 75
N-OCTADECYLAMINE		124-30-1	25 - < 30

#### Constituents

Chemical name	CAS number	%
QUARTZ	14808-60-7	<= 2

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

**Composition comments** Occupational Exposure Limits for constituents are listed in Section 8.

## 4. First-aid measures

**Inhalation** If dust from the material is inhaled, remove the affected person immediately to fresh air. Call a physician if symptoms develop or persist. No specific first aid measures noted.

<b>Skin contact</b>	Get medical attention if irritation develops and persists. No specific first aid measures noted. Wash skin with soap and water.
<b>Eye contact</b>	No specific first aid measures noted. Flush thoroughly with water. If irritation occurs, get medical assistance.
<b>Ingestion</b>	No specific first aid measures noted. Rinse mouth thoroughly. Get medical attention if any discomfort occurs.
<b>Most important symptoms/effects, acute and delayed</b>	Dust in the eyes will cause irritation.
<b>Indication of immediate medical attention and special treatment needed</b>	Provide general supportive measures and treat symptomatically.
<b>General information</b>	No hazards which require special first aid measures. Provide general supportive measures and treat symptomatically.

## 5. Fire-fighting measures

<b>Suitable extinguishing media</b>	Water spray. Water fog. Foam. Dry chemical powder. Carbon dioxide (CO <sub>2</sub> ). Use any media suitable for the surrounding fires.
<b>Unsuitable extinguishing media</b>	Not assigned.
<b>Specific hazards arising from the chemical</b>	The product is combustible, but not flammable.
<b>Special protective equipment and precautions for firefighters</b>	None known.
<b>Fire-fighting equipment/instructions</b>	Firefighters must use standard protective equipment including flame retardant coat, helmet with face shield, gloves, rubber boots, and in enclosed spaces, SCBA. In the event of fire, cool tanks with water spray. Material can be slippery when wet.
<b>Specific methods</b>	Cool containers exposed to flames with water until well after the fire is out.
<b>General fire hazards</b>	No unusual fire or explosion hazards noted.

## 6. Accidental release measures

<b>Personal precautions, protective equipment and emergency procedures</b>	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Material can be slippery when wet. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid inhalation of dust from the spilled material. For personal protection, see section 8 of the SDS. No special precautions are necessary beyond normal good hygiene practices. See Section 8 for additional personal protection advice when handling this product.
<b>Methods and materials for containment and cleaning up</b>	If sweeping of a contaminated area is necessary use a dust suppressant agent which does not react with the product. Sweep up or vacuum up spillage and collect in suitable container for disposal. Collect dust using a vacuum cleaner equipped with HEPA filter. Minimize dust generation and accumulation. Avoid the generation of dusts during clean-up. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS. Collect powder using special dust vacuum cleaner with particle filter or carefully sweep into closed container.
<b>Environmental precautions</b>	Prevent further leakage or spillage if safe to do so.

## 7. Handling and storage

<b>Precautions for safe handling</b>	Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Avoid breathing dust. Avoid contact with skin and eyes. In case of insufficient ventilation, wear suitable respiratory equipment. Practice good housekeeping.
<b>Conditions for safe storage, including any incompatibilities</b>	No special restrictions on storage with other products. Store in a dry area. Store in original tightly closed container. Keep the container dry. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS). Guard against dust accumulation of this material.

## 8. Exposure controls/personal protection

### Occupational exposure limits

#### US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Constituents	Type	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	PEL	5 mg/m <sup>3</sup>	Respirable fraction.
		15 mg/m <sup>3</sup>	Total dust.

**US. OSHA Table Z-3 (29 CFR 1910.1000)**

Constituents	Type	Value	Form
INERT OR NUISANCE DUSTS (CAS SEQ250)	TWA	5 mg/m <sup>3</sup>	Respirable fraction.
		15 mg/m <sup>3</sup>	Total dust.
		50 mppcf	Total dust.
		15 mppcf	Respirable fraction.

<b>Biological limit values</b>	No biological exposure limits noted for the ingredient(s).
<b>Appropriate engineering controls</b>	Ventilation should be sufficient to effectively remove and prevent buildup of any dusts or fumes that may be generated during handling or thermal processing. If engineering measures are not sufficient to maintain concentrations of dust particulates below the OEL, suitable respiratory protection must be worn.
<b>Individual protection measures, such as personal protective equipment</b>	
<b>Eye/face protection</b>	Use tight fitting goggles if dust is generated. Wear dust-resistant safety goggles where there is danger of eye contact.
<b>Hand protection</b>	No protection is ordinarily required under normal conditions of use.
<b>Other</b>	Normal work clothing (long sleeved shirts and long pants) is recommended.
<b>Respiratory protection</b>	Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.
<b>Thermal hazards</b>	Not applicable.
<b>General hygiene considerations</b>	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. Use good industrial hygiene practices in handling this material.

**9. Physical and chemical properties**

<b>Appearance</b>	Powder.
<b>Physical state</b>	Solid.
<b>Form</b>	Powder. Granular.
<b>Color</b>	Grey to white.
<b>Odor</b>	None.
<b>Odor threshold</b>	Not applicable.
<b>pH</b>	6.5 - 7
<b>Melting point/freezing point</b>	> 842 °F (> 450 °C) / Not applicable.
<b>Initial boiling point and boiling range</b>	Not applicable.
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not available.
<b>Flammability (solid, gas)</b>	This product is not flammable.
<b>Upper/lower flammability or explosive limits</b>	
<b>Flammability limit - lower (%)</b>	Not applicable.
<b>Flammability limit - upper (%)</b>	Not applicable.
<b>Explosive limit - lower (%)</b>	Not available.
<b>Explosive limit - upper (%)</b>	Not available.
<b>Vapor pressure</b>	Not applicable.
<b>Vapor density</b>	Not applicable.
<b>Relative density</b>	2.6 g/cm <sup>3</sup>
<b>Solubility(ies)</b>	
<b>Solubility (water)</b>	< 0.9 mg/l
<b>Partition coefficient (n-octanol/water)</b>	Not applicable.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition temperature</b>	> 932 °F (> 500 °C)

<b>Viscosity</b>	Not applicable.
<b>Viscosity temperature</b>	Not applicable.
<b>Other information</b>	
<b>Bulk density</b>	0.9 - 1.4 g/cm <sup>3</sup>
<b>Explosive limit</b>	Not applicable.
<b>Explosive properties</b>	Not explosive
<b>Explosivity</b>	Not applicable.
<b>Flame extension</b>	Not applicable.
<b>Flammability</b>	Not applicable.
<b>Flammability (flash back)</b>	Not applicable.
<b>Flammability (Heat of combustion)</b>	Not applicable.
<b>Flammability (Train fire)</b>	Not applicable.
<b>Flammability class</b>	Not applicable.
<b>Flash point class</b>	Not flammable
<b>Molecular formula</b>	UVCB Substance
<b>Molecular weight</b>	Not applicable.
<b>Oxidizing properties</b>	None.
<b>Percent volatile</b>	0 %
<b>Specific gravity</b>	1.9
<b>VOC (Weight %)</b>	0 % estimated

## 10. Stability and reactivity

<b>Reactivity</b>	The product is stable and non-reactive under normal conditions of use, storage and transport.
<b>Chemical stability</b>	Stable at normal conditions.
<b>Possibility of hazardous reactions</b>	Will not occur.
<b>Conditions to avoid</b>	Moisture. Avoid temperatures exceeding the decomposition temperature. Contact with incompatible materials. Avoid dispersal of dust in the air (i.e., clearing dust surfaces with compressed air).
<b>Incompatible materials</b>	Peroxides. Phenols.
<b>Hazardous decomposition products</b>	None.

## 11. Toxicological information

### Information on likely routes of exposure

<b>Ingestion</b>	Not classified.
<b>Inhalation</b>	Inhalation of dusts may cause respiratory irritation.
<b>Skin contact</b>	Not classified.
<b>Eye contact</b>	Not classified. Dust in the eyes will cause irritation.

**Symptoms related to the physical, chemical and toxicological characteristics** None known.

### Information on toxicological effects

**Acute toxicity** Not classified.

<b>Components</b>	<b>Species</b>	<b>Test Results</b>
N-OCTADECYLAMINE (CAS 124-30-1)		
<b>Acute</b>		
<i>Oral</i>		
LD50	Mouse	3 g/kg
	Rat	2395 mg/kg
		1000 mg/kg
<i>Other</i>		
LD50	Mouse	250 mg/kg

\* Estimates for product may be based on additional component data not shown.

<b>Skin corrosion/irritation</b>	Not classified.
<b>Serious eye damage/eye irritation</b>	Dust in the eyes will cause irritation. Mild irritant to eyes (according to the modified Kay & Calandra criteria)
<b>Respiratory or skin sensitization</b>	
<b>Respiratory sensitization</b>	Not classified.
<b>Skin sensitization</b>	Not classified.
<b>Germ cell mutagenicity</b>	Not classified.
<b>Carcinogenicity</b>	In June 2003, SCOEL (the EU Scientific Committee on Occupational Exposure Limits) concluded that the main effect in humans of the inhalation of respirable crystalline silica dust is silicosis. "There is sufficient information to conclude that the relative risk of lung cancer is increased in persons with silicosis (and, apparently, not in employees without silicosis exposed to silica dust in quarries and in the ceramic industry). Therefore, preventing the onset of silicosis will also reduce the cancer risk..." (SCOEL SUM Doc 94-final, June 2003) According to the current state of the art, worker protection against silicosis can be consistently assured by respecting the existing regulatory occupational exposure limits. Occupational exposure to respirable dust and respirable crystalline silica should be monitored and controlled.
<b>Reproductive toxicity</b>	Not classified.
<b>Specific target organ toxicity - single exposure</b>	Not classified.
<b>Specific target organ toxicity - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not available.

## 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product	Species	Test Results
<b>NANOMER® I.31PS</b>		
Crustacea	EC50	Daphnia > 100 mg/l, 48 hours
Other	EC50	Freshwater algae > 100 mg/l, 72 hours
	LC50	Freshwater fish 16000 mg/l, 96 hours
		Marine water fish 2800 - 3200 mg/l, 24 hours
<b>Aquatic</b>		
Crustacea	EC50	Coon stripe shrimp ( <i>Pandalus danae</i> ) 24.8 mg/l, 96 hours
		Dungeness or edible crab ( <i>Cancer magister</i> ) 81.6 mg/l, 96 hours
<b>Components</b>		
<b>BENTONITE (CAS 1302-78-9)</b>		
<b>Aquatic</b>		
Fish	LC50	Rainbow trout, donaldson trout ( <i>Oncorhynchus mykiss</i> ) 19000 mg/l, 96 hours
<b>N-OCTADECYLAMINE (CAS 124-30-1)</b>		
Fish	LC50	Fish 5.5 mg/L, 96 Hours
<b>Aquatic</b>		
Crustacea	EC50	Water flea ( <i>Daphnia magna</i> ) 1.4 - 2.2 mg/l, 48 hours

\* Estimates for product may be based on additional component data not shown.

<b>Persistence and degradability</b>	Not relevant for inorganic substances
<b>Bioaccumulative potential</b>	Will not bio-accumulate.
<b>Mobility in soil</b>	Bentonite is almost insoluble and thus presents a low mobility in most soils.
<b>Mobility in general</b>	The product has poor water-solubility.
<b>Other adverse effects</b>	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

## 13. Disposal considerations

<b>Disposal instructions</b>	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
<b>Local disposal regulations</b>	Dispose in accordance with all applicable regulations.
<b>Hazardous waste code</b>	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

<b>Waste from residues / unused products</b>	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
<b>Contaminated packaging</b>	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied. Store containers and offer for recycling of material when in accordance with the local regulations.

## 14. Transport information

### DOT

Not regulated as dangerous goods.

### IATA

Not regulated as dangerous goods.

### IMDG

Not regulated as dangerous goods.

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## 15. Regulatory information

### US federal regulations

#### CERCLA Hazardous Substance List (40 CFR 302.4)

Not listed.

#### US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**Hazard categories** Immediate Hazard - No  
Delayed Hazard - No  
Fire Hazard - No  
Pressure Hazard - No  
Reactivity Hazard - No

**SARA 302 Extremely hazardous substance** Yes

**SARA 311/312 Hazardous chemical** Yes

**SARA 313 (TRI reporting)**  
Not regulated.

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act (SDWA)** Not regulated.

### US state regulations

#### US. Massachusetts RTK - Substance List

Not regulated.

#### US. New Jersey Worker and Community Right-to-Know Act

Not regulated.

#### US. Rhode Island RTK

Not regulated.

#### US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

### International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No

Country(s) or region	Inventory name	On inventory (yes/no)*
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)  
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

<b>Issue date</b>	16-October-2014
<b>Revision date</b>	08-December-2014
<b>Version #</b>	15
<b>Further information</b>	This safety datasheet only contains information relating to safety and does not replace any product information or product specification.
<b>HMIS® ratings</b>	Health: 1* Flammability: 0 Physical hazard: 0
<b>NFPA ratings</b>	Health: 1 Flammability: 0 Instability: 0
<b>List of abbreviations</b>	SWERF = Size-Weighted Relevant Fine Fraction methodology is a scientific method developed to quantify the content of respirable particles within a bulk product. All details about the SWERF method are available at <a href="http://www.crystallinesilica.eu">www.crystallinesilica.eu</a> . UVCB = a substance of Unknown or Variable composition, Complex reaction products or Biological materials
<b>References</b>	For any information on literature references or toxicity/ecotoxicity studies, please contact the supplier.
<b>Disclaimer</b>	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The manufacturer expressly does not make any representations, warranties, or guarantees as to its accuracy, reliability or completeness nor assumes any liability, for its use. It is the user's responsibility to verify the suitability and completeness of such information for each particular use. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. The information in the sheet was written based on the best knowledge and experience currently available.
<b>Revision Information</b>	Composition / Information on Ingredients: Disclosure Overrides